
Research Article

Environmental and Energy Implications of Molten Salt Batteries in New York State

Robb Shawe^{1,*}

¹ Professor, Department of Sustainability, Capitol Technology University, Laurel, MD, USA

Corresponding Author: Robb Shawe. Email: rshawe@captechu.edu

Received: 30/07/2025; Revised: 23/09/2025; Accepted: 25/09/2025; Published: 30/09/2025.

DOI: <https://doi.org/10.69996/jsihs.2025015>

Abstract: Molten salt batteries have emerged as a promising energy storage technology that could significantly impact New York State's energy landscape. This research paper investigates the environmental and energy implications of adopting molten salt battery systems in the region. By analyzing their unique characteristics, including high efficiency, long lifespan, and capability for large-scale energy storage, the study highlights how these batteries can aid in integrating renewable energy sources like solar and wind. The paper also assesses the operational conditions and processes involved in molten salt battery systems, demonstrating how they can mitigate the intermittent nature of renewable energy production. Overall, the findings present a compelling case for the potential benefits of these batteries in transitioning to a more sustainable energy grid. In examining the environmental implications, the research paper delves into the lifecycle of molten salt batteries, focusing on resource extraction, manufacturing, and disposal. It compares these processes with traditional battery technologies, revealing that molten salt batteries may offer lower ecological footprints due to fewer harmful materials and longer usable lifespans. The analysis also considers the reduction of greenhouse gas emissions associated with transitioning to this technology, especially in New York State, which is striving to achieve its climate goals. By prioritizing cleaner energy generation and storage solutions, communities can benefit from reduced air and water pollution, ultimately contributing to improved public health and ecological preservation. The economic implications of molten salt batteries are further explored in the context of New York's energy economy. The paper outlines potential cost savings associated with energy storage and grid stability, emphasizing how molten salt batteries could lower energy prices for consumers. Additionally, it highlights job creation in the manufacturing, installation, and maintenance of this emerging technology, contributing to local economies. The study advocates policy support and investment in research to accelerate the adoption of molten salt batteries. By fostering innovative energy solutions, New York State can position itself as a leader in sustainable energy practices, ensuring a resilient and economically viable energy future for its residents.

Keywords: Molten Salt Batteries, Environmental Impact, Energy Storage, New York State, Renewable Energy.

1. Introduction

Molten salt batteries are being developed as a disruptive innovation to the energy sector in New York State. With their unique battery technology, molten salt batteries are expected to play a vital role in supporting renewable energy initiatives, transforming the state's approach to energy storage. Unlike battery technologies that play a key role in energy storage for traditional energy solutions, molten salt batteries enable long-duration energy storage, particularly for renewable energy sources such as solar and wind, which have intermittent peaks and valleys.



Although molten salt batteries are generally considered to have a lower environmental impact than mainstream battery technologies, they still generate emissions during production, and their waste presents specific disposal challenges [1]. Therefore, while New York State seeks to advance sustainable technological solutions, attention to the environmental implications of their deployment remains crucial.

1.1 Overview: Molten Salt Batteries

Since their emergence, molten salt batteries have been at the forefront of research, and their continued relevance is poised to influence the application of energy storage systems further. However, this is mainly because they present an improved solution to the original need for a battery, which harnesses the high-energy density and widespread availability of salts. When in its molten form, the salt exhibited stable and efficient properties for use as an energy storage medium [2]. Compared to lithium-ion technology, molten salt batteries offer improved performance, as prescribed for their primary purpose of long-duration energy storage. Furthermore, their growing importance can also be attributed to their flexibility in supporting the integration of renewable energy, particularly in New York State, where energy sustainability remains a key goal. Hence, their enhanced flexibility and adaptability improve their usability across various settings, revealing their inherent potential to influence the future of energy storage systems [3].

1.2 Composition and Functionality

Molten salt batteries utilize a liquid mixture of salts maintained in a molten state, allowing the batteries to operate efficiently at elevated temperatures. The molten salt enables the batteries to store energy more effectively, as it serves as both the electrolyte and medium for ion transport, unlike battery technologies that utilize solid-state or aqueous electrolytes. The high thermal and chemical stability of the molten salts contained in these batteries enables them to operate reliably, offering a unique property that mitigates the natural degradation of constituent materials [4]. Their structure also allows them to respond to varying demands for electricity, facilitating their use in large-scale applications such as grid storage. Their low cost also provides a viable alternative to other battery technologies, such as lithium-ion batteries, particularly in terms of the costs of constituent materials and maintenance.

The chemical reactions in molten salt batteries are crucial to their functionality. Unlike traditional batteries, which involve voltage drops during electrochemical reactions, molten salt batteries utilize sodium ions that transfer through an active material and an electrolyte medium, molten salt, to perform reversible storage. These reactions, which involve sodium-exchange reactions with high ionic mobility, are key to the battery's energy density and thermal performance [5]. They help the battery meet thermal and electrical load requirements, thereby improving energy storage and battery life. As a result, molten salt batteries are ideal for grid storage applications with dependable energy requirements.

2. Different Types of Molten Salt Batteries

The scaling of molten salt battery technologies within New York State has the potential to significantly reduce reliance on fossil fuels. This promising development can enhance energy independence and contribute to environmental sustainability, aligning with the state's goals of reducing greenhouse gas emissions and increasing the use of renewable energy sources, such as wind and solar. The following information provides technical specifications for the different types of Molten Salt Batteries [6].

A. Thermal (Non-Rechargeable) Batteries

There are generally two types of thermal design. The first type is a fuze strip consisting of

zirconium metal powder and barium chromate embedded in ceramic paper along the edge of heat pellets to initiate the burning process. In contrast, the fuze strip is ignited via a squib that applies an electric current. In contrast, this process is faster, in the order of tens of milliseconds, versus the hundreds of milliseconds with the fuze strip design [7].

Thermal (Non-Rechargeable) Batteries are typically used to power rockets and missiles. They are primary batteries designed to deliver high power over a short period, ranging from a few seconds to over an hour. Specifically, thermal batteries utilize multiple cells, which include the anode, cathode, and an electrolyte, stacked on top of each other. Essentially, these materials are molten salts or equivalent substances that can withstand high-temperature conditions. This is important since the batteries must operate at average temperatures of more than 400 degrees Celsius [8]. Only through this will a thermal battery be able to perform its function of remaining operational in extreme temperatures and delivering energy during critical times. Additionally, the materials used also enhance thermal stability and conductivity, enabling the batteries to start working after reaching a sufficient activation temperature.

Moreover, thermal batteries also offer a unique activation mechanism that employs heat to trigger electrochemical reactions. At this point, thermal batteries can be stored in an inactive form for extended periods without degradation and instantly activated when thermally excited beyond a certain threshold, typically above 400 degrees Celsius. This mechanism provides convenience for time-critical applications, such as military usage, where energy should be released as quickly as possible upon activation. Rapid activation is made possible by the choice of active battery materials, such as the selected electrolytes, which are characterized as stable and functional even at high operating temperatures [9]. As such, thermal batteries serve to deliver reliable power on demand in systems where instantaneous energy output is required, effectively bridging the gap between the mattress and active transition in energy output.

Nonetheless, thermal batteries offer substantial limitations regarding their functional uses. First, they cannot be recharged for further use. This means that these operating devices will have to be disposed of after the energy resource has been thoroughly utilized. This limitation may pose some consequences, especially in operations that require a constant energy supply. This may further lead to the rising frequency of costs, as well as added maintenance. As revealed in a recent study, the disposable nature of thermal batteries poses a direct threat to the environment due to the materials used in their manufacture and activation [10]. Aside from this, the environmental implications of disposing of these used batteries are also evident. This is because materials that are resistant to high-temperature solidification can still have disastrous environmental effects if not disposed of properly. Furthermore, considering these factors, thermal batteries can now be viewed as a viable energy solution. However, the limitations posed by these batteries also necessitate a suitable compromise between their benefits and disadvantages in terms of usage.

B. Sodium-Sulfur Batteries

The typical design of sodium-sulfur batteries is derived from inexpensive but abundant materials, involving a solid electrolyte membrane between the anode and cathode, encased in a steel cylinder protected by a chromium and molybdenum interior. Unanimously, the sodium-sulfur battery is a high-efficiency battery with an efficiency rating above 91%, featuring a standard 1 MW x 6 MWh system that comprises 20 modules, capable of supplying 50 kW AC within an operating temperature range of 300-350 °C [11]. This high efficiency instills confidence in the potential of sodium-sulfur batteries as a reliable energy storage solution.

Moreover, sodium-sulfur batteries offer significant benefits in terms of energy density

and efficiency. Their energy density can be higher than that of conventional lithium-ion batteries, which makes them suitable for energy storage systems intended for large-scale applications [12]. Additionally, their efficiency is tied to the thermodynamics of their operation, resulting in low internal resistance and minimal energy loss during charge-discharge cycles. Additionally, their performance at elevated temperatures reduces their reliance on advanced thermal control systems, thereby enhancing their implementation capability within current infrastructure systems. As a result, sodium-sulfur batteries strengthen the establishment of energy-intensive applications, particularly in fields sensitive to performance and efficiency, such as commercial and industrial ones [13].

On the other hand, sodium-sulfur batteries have significant drawbacks in terms of safety, as well as vulnerability to temperature. One of the most common problems present in sodium-sulfur batteries is their operating temperature, which is too high and therefore creates a safety concern, especially when combined with sulfur, which is a known flammable material. The containment and battery management system necessary to avoid leaks or fires results in the increased complexity of the battery [14]. Furthermore, maintaining the operating temperature may require additional energy, which can compromise the overall energy storage benefits of a sodium-sulfur battery due to its high energy density. Therefore, although sodium-sulfur batteries have higher energy storage capabilities, their vulnerability to temperature and safety issues creates operational challenges that limit their actual use, warranting further research in this area to develop more operationally reliable sodium-sulfur batteries [15].

C. Sodium-Nickel Chloride Batteries (Na-NiCl₂)

Sodium-nickel chloride (Na-NiCl₂) batteries utilize a distinctive cell design that integrates a sodium anode with a nickel chloride cathode. The use of a solid ceramic electrolyte, typically beta-alumina, enables efficient ionic conduction and effectively separates the two electrodes. This design enables the battery to achieve high energy density and stability across a range of operating temperatures. The thermal efficiency of the electrochemical process in Na-NiCl₂ batteries contributes to their ability to deliver high power over extended periods with minimal energy losses, making them suitable for high-demand applications, including electric vehicles and large-scale stationary energy storage [16].

Na-NiCl₂ also utilizes a molten sodium core; however, nickel serves as the positive electrode in the discharged state, and nickel chloride is present in the charged state. These batteries also offer several features, such as being fully recyclable, with no toxic or dangerous chemicals being used in their manufacture; no fire risk due to the chemistry of the batteries; requiring no internal cooling system; having long operating life spans, the ability to be assembled in the discharged state; the normal operating temperature range of Na-NiCl₂ batteries are in the 270-350 °C range; and safer chemistry than NaS. However, one disadvantage is the cost of installing an all-in-one unit, which can reach \$20,000.

Besides the energy density properties, the Na-NiCl₂ batteries' benefits also include a wide operational temperature range and resistance to environmental factors. These batteries perform not only under extreme temperature variations but also under stable conditions, which is vital for many industrial and automotive applications [17]. High thermal performance helps deliver energy in circumstances where a temperature spread could impede a battery's operation. In addition, compared to other batteries, the Na-NiCl₂ battery might be a better candidate in terms of environmental friendliness due to its non-toxic materials and recyclable properties.

On the other hand, Na-NiCl₂ batteries are not exempt from certain drawbacks that hinder their usability and commercial scalability. The intricate manufacturing process of this battery

type is believed to be one of its significant drawbacks in terms of scalability towards broader commercial applications. The high-cost structure of battery production can be attributed to refined processes such as utilizing high-purity materials and conducting manufacturing at high temperatures and in a controlled environment [18]. Aside from battery production itself, maintaining the intricate manufacturing processes for Na-NiCl₂ systems poses significant economic implications for the industry. The need for a sophisticated design and operation of Na-NiCl₂ to maintain highly reliable performance can be regarded as a considerable downside to the scalability of sodium batteries. Therefore, the combined implications and interplay between complex and costly production processes for the Na-NiCl₂ functionality necessitate further efforts to improve the feasibility and commercial competitiveness of this battery system.

D. Liquid Metal Batteries

Liquid Metal Batteries are a promising candidate for large-scale energy storage batteries due to their design and properties. Liquid metal batteries consist of two liquid metal electrodes, which are separated by a molten salt electrolyte [19]. The use of this design provides a high-conductivity medium that is ideal for energy storage and transfer. Liquid metal batteries are designed to operate at elevated temperatures, which often range from 300°C to 500°C, allowing for a faster ion diffusion process and lower internal resistance. This feature of liquid metal batteries enhances battery performance, allowing for faster discharge rates. The architecture of the liquid metal battery also contributes to its stability and reduced degradation, despite undergoing numerous charge-discharge cycles, positioning it at the forefront of large-scale storage batteries that can be implemented for grid energy [20]. Current studies continue to focus on enhancing the thermal and electrochemical properties of liquid metal batteries, with the goal of making them more economically viable and scalable for various applications in renewable energy systems.

A liquid metal battery is a new type of molten salt battery designed for grid storage applications. It is a liquid metal battery composed of two liquid metal electrodes separated by a molten salt electrolyte that self-segregates into three layers based on density and immiscibility. The idea is to pair a potent electron donor with a strong electron acceptor while avoiding non-metals in the choice of the latter [21]. Liquid metal batteries offer several advantages, including inexpensive and abundant electrode materials, self-segregation of the active liquid components, which allows for a more efficient and lower-cost cell fabrication process than conventional batteries, and a near-infinite life cycle.

Liquid metal batteries employ a novel method for storing energy, utilizing liquid metal as electrodes and molten salt as the electrolyte [22]. The electrode materials are metals or metal alloys that remain in a liquid state during use, which promotes the ideal ionic conduction and low internal resistance. Their unique architecture enables rapid ion exchange between the electrodes, resulting in quick discharge and recharge times. The design of liquid metal batteries hampers any mechanism of battery degradation over time, resulting in a longer operational life compared to conventional battery technologies. Adding this feature makes liquid metal batteries a perfect candidate for grid-scale applications.

Moreover, the ability of liquid metal batteries to scale up is one of the advantages attributed to their structure, which features liquid metal electrodes and molten salt electrolytes. Battery cells can be easily added or stacked, enabling the construction of larger batteries that can store more energy and exhibit minimal inefficiency. The long-lasting nature of these batteries is attributed to their low rate of deterioration during charge and discharge cycles, resulting from the nonreactive behavior of their liquids. Regarding the price, it is cost-efficient, as its material is

available at a low price and the manufacturing process is simple, which ultimately reduces the production cost. The aforementioned properties of scalability, long-lasting, and cost-efficiency make it ideal for bulk energy needs, especially in companies that promote sustainable energy alternatives.

In contrast, liquid metal batteries face several limitations that impact their commercial viability and technological feasibility in the market. One of the most important factors is the requirement for high-temperature operation. The high-temperature condition, although advantageous for ion mechanism and energy efficiency, entails significant engineering and safety risks. The requirement of maintaining a high temperature in large-scale applications is expected to result in higher operational costs and higher safety risks, such as thermal runaway or containment breaches. As a result, they find it challenging to penetrate markets where price and safety are critical factors. Furthermore, their lack of operational adaptability and underdeveloped market for high-temperature containment pathways exclude potential customer networks. The liquid metal batteries technology requires significant capital investment to tailor high-temperature adaptable networking systems. Due to these impediments and the highly uncertified stage of commercialization of the technology, further research and development efforts are required to enable innovative strategies and develop approaches that assess control of these limitations for the competitive growth and realization of liquid metal battery technology in the growing energy storage market.

The interplay between molten salt batteries and New York's energy landscape is multifaceted, particularly given the state's commitment to reducing carbon emissions and increasing the integration of renewable energy. The state has outlined ambitious goals for transitioning to 100% clean energy by 2040, including significant investments in massive energy storage solutions. By adopting molten salt battery technologies, New York can enhance grid resilience, enabling the more reliable integration of intermittent renewable energy sources, such as wind and solar. Molten salt batteries' thermal energy storage capabilities facilitate long-duration energy storage, making them suitable for balancing fluctuations in supply and demand. As state utilities seek to expand their renewable portfolios, the need for efficient storage systems that can provide bulk energy during periods of high demand becomes increasingly crucial.

2.1 Advantages Over Traditional Batteries

Other benefits of molten salt batteries include their lower costs and longer lifespan compared to conventional technologies, such as lithium-ion batteries. Given that these batteries could cost less than 500 €/kWh, they are more affordable than their alternatives for large-scale energy storage applications. Moreover, the stability and superior chemical properties of molten salt batteries enable them to last longer, resulting in reduced long-term operational costs due to fewer replacements and higher investment returns. Furthermore, molten salt batteries are competitive in high-temperature applications, as these applications are particularly energy-demanding in thermal environments. In this sense, it is highlighted that costs and long-term operational benefits associated with molten salt batteries could provide industries with excellent savings opportunities for energy storage applications.

Additionally, using molten salt batteries can have a positive environmental impact due to their lower carbon footprint. Since molten salt batteries enable more efficient energy storage, this technology contributes to the further deployment of renewable energy sources and a reduced dependence on fossil fuels. By achieving a lower carbon footprint, the use of molten salt batteries makes a positive contribution to New York State's sustainability goals. Furthermore, molten salt batteries rely on widely available materials, which minimizes the environmental

consequences of resource extraction and processing common to other battery technologies. Overall, employing molten salt batteries can be perceived as a means of reducing the carbon footprint and contributing to broader environmental goals aimed at combating climate change.

2.2 Comparative Analysis

The characteristics associated with the design and operation of molten salt batteries suggest their unique merits and drawbacks for specific cases, which affect their applicability. Thermal batteries, for example, are quick to activate and release the stored energy at elevated temperatures. In contrast, sodium-sulfur batteries are more suitable for large-scale energy storage applications due to their high energy density and efficient thermal management. Sodium-nickel chloride batteries exhibit stability features, as well as considerable energy production rates, that make them preferable for use in both vehicles and grid storage. Liquid metal batteries are characterized by rapid ion exchange and lower degradation, which enables their application for large-scale energy storage with high longevity. At the same time, their high operating temperatures in liquid metal and sodium-sulfur batteries present considerable safety and cost issues, which remain the subject of further research and technology development to optimize them.

Similarly, the characteristics of the different types of molten salt batteries suggest their specific benefits in terms of energy density and efficiency, as well as the expected duration of their operation. Thermal batteries are advantageous when rapid application is required, as they release energy quickly in high-temperature environments; however, they are difficult to recharge. A relatively high energy density characterizes the sodium-sulfur battery, which is well-suited for large installations due to its efficiency in thermal management. A sodium-nickel chloride battery offers good energy stability and output, as well as an extended service life, making it advantageous for both vehicle and grid storage solutions. Liquid metal batteries are promising in the field of grid energy storage due to their fast ion exchange and high level of stability; however, their high-temperature operation increases the total operational cost.

On the other hand, the various types of molten salt batteries also have their corresponding downsides that affect their performance. For example, thermal batteries are quick to discharge and operate at their optimal high temperature; however, their non-rechargeable nature limits the sustainable and economic impact of their use. Sodium-sulfur batteries have a high energy density, making them suitable for bulk energy storage, but high operating temperature poses safety concerns and increases energy usage for thermal management. Their stability and long lifespans distinguish sodium-nickel batteries for use in transportation and the grid; however, their production method is more complex, leading to higher variable production costs and scalability issues. Lastly, liquid metal batteries offer excellent scalability and low degradation, making them ideal for grid-sized energy storage. However, their high-temperature operation requires stringent safety protocols and substantial infrastructure investment, which could limit their large-scale implementation.

Hence, molten salt battery technology is expected to gain a promising breakthrough in the foreseeable future due to the growing efforts in the fields of material science and battery engineering design. It is predicted that further research will focus on minimizing the working temperature of sodium-sulfur and liquid metal batteries to enhance safety, efficiency, and production costs without compromising energy density. Further innovation is being made in ceramic-type electrolyte materials to enhance ion transportation and, consequently, improve battery durability, which is especially beneficial for sodium-nickel chloride batteries, already recognized for their high stability and durability. Improved thermal management is also

expected to become a promising approach for minimizing energy losses during charge-discharge cycles and expanding the operational capacities of molten salt batteries . These advancements in technology contribute to the expected transition toward more adaptable, decentralized, and environmentally friendly molten salt battery systems, which will support their expansion and implementation in renewable energy systems and sustainable power generation alternatives.

In summary, the development of molten salt battery technology is promising and holds the potential to revolutionize energy storage, contributing to the growth of renewable energy sources. Thermal management and ion conductivity developments are crucial for improving the performance of sodium-sulfur and liquid metal batteries at low temperatures. Such performance increases safety, which was a serious concern in existing high-temperature batteries. Moreover, manufacturing prices decrease due to the elimination of high-temperature operation, making sodium-sulfur and liquid metal batteries more affordable for industrial-scale use. Recent achievements in the development of sodium-nickel chloride battery ceramic electrolytes have extended the operation duration and improved performance. Therefore, sodium-nickel batteries can perform well in both grid and transport applications. These technological improvements look promising; molten salt batteries can become an integral part of the energy system, facilitating the straightforward integration of non-dispatchable renewable energy sources, achieving equilibrium, and enhancing the energy efficiency of these sources, making their operation economically feasible and competitive in the global shift to cleaner energy.

3. Environmental Impact on New York State

Molten salt battery technologies have considerable potential as a medium for electricity storage; however, this technology raises some environmental concerns in New York. The emissions and waste produced by this medium during battery manufacturing pose the primary pollution threat to the territory after the infrastructure is installed and in use . Although the materials used in this battery are widespread and do not significantly harm the environment, unlike in the case of lithium-ion batteries, the production process still emits some pollutants that regulatory authorities must control to mitigate the pollution threat . The manufacturing process of medium-emission batteries also requires careful and predefined techniques, tailored to the battery's life pattern. During the recycling and following processes, the construction of the battery is expected to produce severe environmental implications. New York needs to create a separate regulatory framework to adapt to this technology and eliminate the threats mentioned.

A. Emissions and Waste Management

Molten salt battery emissions can be reviewed on two fronts: during their production process and alongside their use. While producing molten salt batteries, emissions are primarily governed by the high temperature, which can lead to carbon emissions unless mitigated through further improvements in industrial processes. Additionally, the energy-intensive production process of the molten salt battery also poses potential harm. The disposal and waste of molten salt batteries used in New York state also pose a threat – especially when disposing of their electrolyte salts, which can leach into the ground if improperly handled . Notwithstanding this, with improved recycling processes and implementation policies, the fall-out damages can be reduced, echoing the attempt to improve sustainable practices within New York's growing renewable energy structures.

The recycling and disposal challenges surrounding molten salt batteries in New York necessitate the development of policies that can help mitigate their associated environmental impacts. A key challenge of using electrolyte salts is the consideration of their end-of-life safety in the event of inadequate recycling methods . Material composition variability and the risk of

leakage at the disposal stage underscore the need for effective recycling technology to prevent potential environmental pollution. Adopting policies that aim to enhance recycling methods can help improve waste disposal practices by integrating reuse into viable scenarios and mitigating associated impacts on the ecosystem. As a result, a combination of approaches that ensures improved regulatory practices and technological innovations in recycling methods will play a significant role in enhancing the conservation of the ecosystem from adverse disruptions while also realizing the benefits of adopting molten salt battery technology.

B. Effects on Local Ecosystems

The production and use of molten salt batteries in New York State could have a few effects on the ecosystems present in the area. One of the first things that comes to mind is the release of byproducts and emissions during the production of molten salt batteries. Unregulated production waste could lead to soil and surface water contamination. The ecological disturbance caused by the extraction of raw materials traditionally used in battery production, such as metals and salts, can lead to pollution of the local flora and fauna. A more significant risk could arise if batteries are improperly disposed of after use. Leachate can contaminate ground and surface water, posing a significant danger to all forms of life, whether terrestrial or aquatic. Therefore, considerable efforts should be made to develop proper guidelines for environmental monitoring and waste disposal to protect the storage ecosystems in New York State while fully leveraging the benefits of molten salt battery technology.

Moreover, apart from the potential negative impacts of molten salt batteries, several initiatives have been proposed and supported to mitigate possible harmful effects on biodiversity and natural habitats in New York State. There are initiatives aimed at enhancing regulatory measures that focus on reducing emissions during the production and operational processes of batteries, thereby helping to mitigate air and water pollution that can be particularly harmful to local ecosystems. Innovative initiatives aim to enhance recycling processes, ensuring that the end-of-life cycle does not negatively impact the environment's health while encouraging the redirection of raw materials and mitigating the accumulation of used components. The research is conducted to enhance the sustainability of battery raw materials and mitigate the ecological impact of extracting and processing natural resources. These initiatives demonstrate that New York is committed to implementing the latest advances in energy storage technologies while also maintaining a cautious approach to environmental preservation and biodiversity.

4.Usage and Deployment in New York

Molten salt batteries are utilized in New York State, particularly in applications that enhance the optimization of renewable energy systems. Their widespread use in grid applications is driven by their potential to deliver dependable, long-duration energy storage, which is vital for sustaining energy demands despite existing variations. In the state's industries, molten salt batteries are also used to reduce peak energy consumption loads. By doing so, fossil fuel use is minimized, thus enhancing emissions reductions. With the economic and energy savings achieved, molten salt batteries would make a good case for broader use. However, challenges persist in terms of regulatory requirements and other technological aspects.

The substantial cost-effectiveness of these systems further exemplifies the promising results of molten salt battery integration in New York compared to more traditional energy storage solutions such as lithium-ion batteries. The affordability and scalability of molten salt storage, with costs notably lower than € 500/kWh, make it attractive for widespread adoption across the state. This cost advantage aligns with New York State's ambitious energy transition plans, enabling more businesses and utilities to participate in sustainable energy practices

without prohibitive financial barriers. Furthermore, the successful deployment in diverse sectors, from manufacturing to transportation, showcases the adaptability of molten salt batteries, making them viable for different energy-intensive applications. Thus, by reducing dependencies on costly and environmentally taxing energy sources, these systems play a key role in advancing New York's clean energy objectives while strengthening the overall grid infrastructure.

A. Applications in Industry

Currently, molten salt batteries are being applied in various industries in New York state to improve productivity and the industries' environmental footprint. In the manufacturing industry, most applications of molten salt batteries aim to provide the industry with a means of optimizing its energy use, especially during peak hours, which helps reduce energy costs and reliance on naturally sourced energy. Moreover, the application of molten salt batteries has found itself positioned in the renewable energy projects being established in New York State, as more and more solar and wind farms are seeking their use as a source of energy storage that provides a dependable backup to ensure stability in energy supply during low-generating periods.

In the transportation industry, the use of molten salt batteries for electric vehicle charging stations is gaining attention as a more environmentally friendly alternative to standard battery technologies. Similarly, utility companies are incorporating molten salt batteries into their grid systems to enhance energy efficiency while also contributing to reduced carbon emissions, aligning with the sustainability efforts championed by the state of New York.

The use of molten salt batteries at a solar farm in New York also has significant potential for energy storage benefits, resulting in successful energy programs and enhanced grid reliability. The integration of large-scale thermal storage at the New York solar farm, utilizing molten salts, has enabled the farm to capture and retain additional solar energy, allowing it to release it during periods of lower sunshine. This economically viable installation helps New York achieve its sustainable energy goals, which include a stable grid and reduced reliance on imported energy.

Other installations across the state have since followed suit and sought to implement these changes to fulfill New York's energy program goals. In this exemplary case, the successful implementation of the molten salts battery supports the reliance on renewable energy and progress toward a reliable grid with such strategic use. The focus on molten salt battery installation can further promote the use of renewable energy and its impact on grid stability. It is sufficient to consider it as part of New York's plans for reduced reliance on carbon emissions and its commitment to renewable energy.

B. Adoption Challenges and Opportunities

New York State can benefit from adopting a molten salt battery, as the challenges associated with it can pave the way for opportunities to enhance the nature of energy in New York. The first challenge in making a battery is the installation cost, as developing a battery system can require substantial initial capital, despite its longer functional life and increased energy capability in the long run. The initial installation cost can cause drawbacks in supporting energy projects. Another challenge that a molten salt battery can face is thermal system management, as the process requires proximity to the melting temperature and solidification. The presence of opportunity, however, given that a molten salt battery has higher energy storage properties, can encourage the seepage of energy from the sun and wind to be harnessed in support of New York. Eventually, though, energy systems powered by the molten salt battery can also present opportunities, such as a lower carbon footprint for New York, achieving energy sustainability goals, and cost-effectiveness. If left unregulated, over time, as coding encoding becomes a step closer in a never-ending development cycle, these benefits can be realized.

Moreover, the role of government incentives and policies in New York State is crucial in facilitating the use of molten salt batteries. Several government policies have been established to encourage individuals and businesses to utilize energy storage, which can be beneficial in various applications. In this case, New York State helps reduce the initial capital costs of energy storage through several policies. For instance, the government provides financial subsidies and tax incentives to industries that use energy storage, particularly molten salt batteries. On the other hand, policies regarding research and development grants also facilitate innovations that often lead to technological breakthroughs in energy storage applications, such as those involving molten salt batteries. These government policies help companies prioritize the use of energy storage facilities while also promoting the efficiency and effectiveness of these energy storage systems. The incentives also help align policies with the state's current environmental goals.

5.Influence on Smart Grid Technology

Molten salt batteries play a crucial role in innovative grid technology in New York. They help improve the efficiency and reliability of the grid. This is because they provide a stable energy storage system that allows for real-time fluctuations in energy supply and demand, a common characteristic of renewable resources, such as solar and wind. The functioning of smart grids built in the state will rely on the ability of molten salt batteries to store energy for an extended period, allowing for the balancing of energy supply and demand needs to ensure uninterrupted and efficient grid operation. As New York diversifies its renewable energy portfolio, integrating molten salt batteries into innovative grid systems will help conduct grid operations sustainably without power interruptions while limiting dependence on fossil-fuel power generation.

A. Integrating Molten Salt Batteries with Smart Grids

Integrating molten salt batteries into New York smart grid systems utilizes the best energy storage and demand management approaches. Energy supplied by molten salt batteries represents a reliable and flexible energy demand management technology that would provide New York's intelligent grid with the capacity to balance energy supply with demand fluctuations common in renewable energy sources, such as wind and solar. Research indicates that integrating molten salt batteries into smart grids offers effective mechanisms for balancing energy supply and demand, thereby mitigating supply disruptions. The high energy storage capacity of molten salt batteries enables specific peaks in energy draw when demand is low while supplying energy from the grid during periods of high demand, thereby reducing dependence on conventional energy sources. Integrating molten salt batteries into intelligent grid systems also significantly enhances the reliability and efficiency of the smart grid, a crucial mechanism for achieving New York's sustainability goals.

Despite this, integrating molten salt batteries into smart grids presents key technical challenges, including the complexity of thermal maintenance and operational stability. One of the issues is temperature control in battery systems to keep the salt molten and to ensure maximum efficiency during the complete battery lifecycle. This requirement complicates the design and implementation process of the components, as they require a stable thermal maintenance system that is versatile enough to operate effectively across a range of temperatures. In addition, materials innovations are proposing solutions to the technical challenges of battery systems by fabricating more durable battery elements that do not undergo degradation due to excessive heat. Advances in technology, driven by continuous research in this area, can help improve intelligent grid systems. The need to develop intelligent grid systems underscores the importance of consistently integrating molten salt batteries into these systems for optimal

functioning.

B. Enhancements in Energy Efficiency and Reliability

The molten salt batteries further enhance the energy efficiency and reliability of New York's intelligent grid systems. Their ability to hold high levels of thermal stability and store large amounts of energy means that the smart grid will be able to address energy fluctuations across the grid, mitigating the variability associated with renewable energy generation from sources like the sun and wind. This aspect is especially critical during peak energy demand situations, as stored energy can be easily redistributed across the grid without relying on grid energy sourced from fossil fuels. The extended discharge profiles of molten salt batteries also enhance grid reliability, ensuring uninterrupted energy sourcing for grid systems regardless of prevailing conditions. In effect, molten salt batteries are crucial in enhancing the sustainability and efficiency of energy operations within New York's grid infrastructure to achieve the set renewable energy generation goals.

Secondly, some projects in New York City demonstrate how the application of molten salt batteries can enhance the energy efficiency and reliability of the grid. In one project, state energy officials and private companies are collaborating to install large-scale molten salt energy storage systems adjacent to solar fields, aiming to stabilize variations in electricity supply and demand. These installations utilized the long discharge periods of molten salt batteries to allow for a lower dependence on fossil-fuel electricity during peak times, which complies with the sustainability goals of the state. Meanwhile, the pilot program in a large utility's grid has enabled it to integrate molten salt storage into its grid operations successfully, thereby improving grid stability and energy flow reallocation. These projects demonstrate how New York can benefit from implementing more molten salt battery systems in its grid to enhance smart grid progress and ensure the comprehensive realization of its renewable energy initiatives.

Overall, the prospects for achieving large-scale energy sustainability and implementing innovative grid technology by utilizing molten salt batteries in the future are highly positive. This battery type's high thermal stability and long-term capabilities have deemed it an attractive element for providing more efficient energy support systems for renewable energy sources. The ability of molten salt batteries to operate in various and dynamic conditions, providing secure storage, supports an adaptable electrical grid infrastructure that can respond to dynamic changes in renewable energy supply. Improved efficiency and reduced costs due to rapidly growing research and materials innovation are promising elements that would make using molten salt batteries more sustainable and feasible for widespread application. With such factors and elements in progress, a strategic innovation outlook would promise ideal energy support systems in New York State that can harness renewable energy sources sustainably.

6. Conclusion

An analysis of molten salt batteries reveals several key aspects of their environmental impact and energy consumption in New York State. On the one hand, this type of battery offers advantages in energy storage efficiency and reduced fossil fuel consumption, thereby making a significant contribution to New York State's renewable energy goals. On the other hand, some issues related to emissions during manufacturing and concerns about waste management present potential ecological effects associated with these batteries. Despite this, the introduction of molten salt batteries in intelligent grid systems contributes to greater energy efficiency and reliability, making them a viable solution for energy-related activities in the future. Deploying these systems could generate economic benefits by creating research, development, and manufacturing jobs within the state. The successful implementation of molten salt batteries can

serve as a model for other regions seeking sustainable energy solutions, highlighting New York's role as a leader in advancing clean energy technologies. Therefore, the promising outlook for integrating molten salt batteries in New York State suggests that further research and practical policies be pursued to enhance their positive contributions while addressing potential ecological concerns.

Acknowledgment: Not Applicable.

Funding Statement: The author(s) received no specific funding for this study.

Conflicts of Interest: The authors declare no conflicts of interest to report regarding the present study

References

- [1] D. Agarwal, R. Potnuru, C. Kaushik, V.R. Darla, K. Kulkarni, A. Garg et al., "Recent Advances in Modeling Fundamental Processes in Liquid Metal Batteries," *Renewable and Sustainable Energy Reviews*, vol.158, pp.112167, 2022.
- [2] E. Assareh, M. Parvaz, S. Hoseinzadeh and M. Lee, "A new analysis of a concentrated solar power-based cogeneration system with molten salt energy storage and a heat recovery steam generator – Case study – (USA)," *Renewable Energy Focus*, vol.46, pp.256–280, 2023.
- [3] A. Caraballo, S. Galán-Casado, A. Caballero and S. Serena, "Molten Salts for Sensible Thermal Energy Storage: A Review and Energy Performance Analysis," *Energies*, vol.14, no.4, pp.1197, 2021.
- [4] N. El Mounafia, M. Aannir, R. Hakkou, A. Zaabout and I. Saadoune, "Comparative performance analysis of NMC cathodes elaborated from recovered and commercial raw materials: A low-temperature molten salt approach for extracting," *Materials Today Communications*, vol.36, pp. 106603, 2023.
- [5] J. M.Gordon, T. Fasquelle, E. Nadal and A. Vossier, "Providing large-scale electricity demand with photovoltaics and molten salt storage," *Renewable and Sustainable Energy Reviews*, vol.135, pp.110261, 2021.
- [6] T. Grebennikova, A.N. Jones and C.A. Sharrad, "Electrochemical decontamination of irradiated nuclear graphite from corrosion and fission products using molten salt," *Energy & Environmental Science*, vol.14, no.10, pp.5501–5512, 2021.
- [7] X. Guo, Y. Ding and G. Yu, "Design Principles and Applications of Next-Generation High-Energy-Density Batteries Based on Liquid Metals," *Advanced Materials*, vol.33, no.29, pp.2100052, 2021.
- [8] J.A. Jeevarajan, T. Joshi, M. Parhizi, T. Rauhala and D. Juarez-Robles, "Battery Hazards for Large Energy Storage Systems. In ACS Publications," *ACS Publications*, 2022.
- [9] H. Jouhara, N. Khordehgah, N. Serey, S. Almahmoud, S.P. Lester, D. Machen and L. Wrobel, "Applications and Thermal Management of Rechargeable Batteries for Industrial Applications," *Energy*, vol.170, pp. 849–861, 2019.
- [10] Z. Kang, Z. Huang, Q. Peng, Z. Shi, H. Xiao et al., "Recycling Technologies, Policies, Prospects, and Challenges for Spent Batteries," *Isience*, vol.26, no.11, 2023.
- [11] D.A. Landmann, "Design guidelines for next-generation sodium-nickel-chloride batteries," *In Doctoral dissertation, EPFL*, 2022.
- [12] D. Lin, T. Wang, Z. Zhao, Y. Liu, H. Song et al., "Molten-salt-assisted synthesis of single-

-
- atom iron-confined N-doped carbon nanosheets for highly efficient industrial-level CO₂ electroreduction and Zn- CO₂ batteries,” *Nano Energy*, vol.113, pp.108568, 2023.
- [13] M. Mann, V. Putsche and B. Shrager, “Grid Energy Storage: A Supply Chain Deep Dive Assessment,” *Inosti.gov. National Renewable Energy Lab*, 2022.
- [14] M. Mirza, R. Abdulaziz, W.C. Maskell, S. Wilcock, A.H. Jones et al., “Electrochemical Processing in Molten Salts –A Nuclear Perspective,” *Energy & Environmental Science*, vol.16, no.3, pp.952–982, 2023.
- [15] R. Roper, M. Harkema, P. Sabharwall, C. Riddle, B. Chisholm and P. Marotta, “Molten Salt for Advanced Energy Applications: A Review,” *Annals of Nuclear Energy*, vol.169, pp.108924, 2022.
- [16] M. Shahabi, N. Masse, H. Sun, L. Wallace, A. Powell and Y. Zhong, “Design of a molten-salt metal-air battery with high energy density,” *In REWAS 2022: Energy Technologies and CO₂ Management*, vol. II, pp. 47–57, 2022.
- [17] S.S. Sharma and A. Manthiram, “Towards more environmentally and socially responsible batteries,” *Energy & Environmental Science*, vol.13,no.11, pp.4087–4097, 2020.
- [18] H.Wang and C. Peng, “Solid electrolyte membrane-containing rechargeable high-temperature molten salt electrolyte-based batteries,” *Sustainable Energy & Fuels*, vol.7, no.2, pp.330–354, 2023.
- [19] Y. Wang, D. Zhou, V. Palomares, D. Shanmukaraj, B. Sun, X. Tang et al., “Revitalizing Sodium–Sulfur Batteries for Non-High-Temperature Operation: A Crucial Review,” *Energy & Environmental Science*, vol.13, no.11, pp.3848–3879, 2020.
- [20] T. Weier, W. Nash, P. Personnetaz and N. Weber, “Yamdb: Easily accessible thermophysical properties of liquid metals and molten salts,” *Arxiv.org*, 2024.
- [21] C.White-Nockleby, “Grid-Scale Batteries and the Politics of Storage,” *Social Studies of Science*, vol.52, no.5, pp.689–709, 2022.
- [22] J. Yang, H. Xu, F. Meng, Q. Guo, T.He, Z. Yang, W. Qu and H. Li, “A molten-salt pyrolysis synthesis strategy toward sulfur-functionalized carbon for elemental mercury removal from coal-combustion flue gas,” *Energies*, vol.15, no.5, pp.1840, 2022.