

AI and Edge Analytics for Real-Time IoT Decision-Making in SMAC Environments: A Comprehensive Review

Karthik Kumar Vaigandla^{1,*}

¹Associate Professor, Electronics and Communication Engineering, Balaji Institute of Technology and Science, Warangal, Telangana, India - 506331

Corresponding Author: Karthik Kumar Vaigandla. Email: vkvaigandla@gmail.com

Received: 12/10/2025; Revised: 28/11/2025; Accepted: 21/12/2025; Published: 31/12/2025

DOI: <https://doi.org/10.69996/jsihs.2025016>

Abstract: There is a pressing need for intelligent, real-time decision-making at the network's edge due to the fast development of the Internet of Things (IoT) and the rising needs of SMAC environments. This article provides a thorough analysis of how AI and Edge Analytics are revolutionizing IoT systems through the ability to make autonomous decisions with low latency and localization. By deploying AI models, such as machine learning and deep learning closer to data sources, edge computing minimizes dependence on centralized cloud infrastructure, thereby improving response time, privacy, and bandwidth utilization. This article analyzes various AI-driven edge architectures, processing techniques, and deployment models tailored for SMAC-integrated IoT applications. It also explores the challenges associated with limited computational resources, data heterogeneity, and security constraints at the edge. Through an in-depth survey of current literature, this work highlights existing solutions, identifies research gaps, and proposes future directions for building efficient, scalable, and intelligent edge-based IoT systems. This review aims to guide researchers and practitioners in leveraging AI and edge analytics for next-generation real-time IoT decision-making.

Keywords: AI, IoT, Social, Mobile, Analytics, Edge, Cloud.

1. Introduction

With the advent of IoT devices, a new age of interconnection, mechanization, and data-driven intelligence has begun. With billions of smart devices continuously generating massive volumes of data, the need for timely and context-aware decision-making has become more crucial than ever. In contemporary digital infrastructures, the integration of Social, Mobile, Analytics, and Cloud (SMAC) technologies forms the backbone of intelligent services and applications, ranging from personalized healthcare and smart transportation to industrial automation and smart cities. However, as the scale and complexity of these interconnected systems grow, traditional cloud-centric architectures struggle to keep up with the demands for real-time responsiveness, data privacy, low latency, and bandwidth optimization [1-3].

As a potential answer to these problems, edge computing moves processing and computation closer to the point of data production, which is at the very edge of the network. This paradigm shift addresses critical bottlenecks of centralized processing, such as network congestion and high latency, and provides an opportunity to enhance data privacy and context-aware intelligence. When combined with Artificial Intelligence (AI), edge computing evolves into a powerful enabler of intelligent and autonomous decision-making in IoT systems. AI-driven edge analytics involves deploying machine learning (ML), DL, and other intelligent algorithms at edge devices or edge servers, allowing them to analyze, interpret, and act on data in



real time without relying heavily on cloud infrastructure [4-6].




Figure 1: Typical SMAC Stack

The convergence of AI and edge analytics is particularly significant in SMAC environments, which are inherently dynamic, data-intensive, and sensitive to delays. Social platforms generate unstructured and highly contextual data; mobile technologies demand seamless and ubiquitous connectivity; analytics call for robust data interpretation; and cloud services provide the scalability backbone. However, relying solely on cloud-based solutions introduces latency, energy inefficiency, and potential data security vulnerabilities, challenges that are especially pronounced in mission-critical and real-time applications. Edge intelligence offers a decentralized approach, facilitating distributed analytics and enabling systems to operate with greater autonomy, reliability, and efficiency [7].

This review article explores the state-of-the-art in AI and edge analytics for real-time IoT decision-making within SMAC environments. It aims to provide a detailed overview of the foundational concepts, emerging frameworks, and technological advancements that define this interdisciplinary field. The review focuses on key aspects such as edge AI architectures, learning models suitable for resource-constrained environments, hardware accelerators, data handling strategies, and communication protocols that support edge-based decision-making. In addition, it analyzes various application scenarios such as smart homes, connected vehicles, industrial IoT (IIoT), and digital healthcare to demonstrate how edge-enabled AI is revolutionizing traditional IoT use cases.

Furthermore, this article critically examines the challenges and limitations associated with deploying AI at the edge, including issues related to model compression, energy efficiency, real-time processing, scalability, and cybersecurity. It also discusses current research trends, identifies gaps in the literature, and proposes future directions for designing resilient and intelligent IoT systems that can adapt to the evolving requirements of SMAC environments.

This study seeks to provide researchers, developers, and practitioners with a comprehensive reference by combining knowledge from recent studies, industrial advances, and academic research. Insights into the possibilities and challenges of combining AI with edge analytics to facilitate context-aware decision-making in the dynamic environment of SMAC-powered IoT systems are offered.

2. Background Concepts

2.1 SMAC and IoT Ecosystem

The convergence of SMAC technologies has created a robust and transformative digital ecosystem that plays a pivotal role in enabling intelligent IoT infrastructures. SMAC is not merely an aggregation of technologies but a synergistic framework where each component enhances the functionality, performance, and scalability of the others. When integrated with IoT, SMAC technologies collectively support real-time data collection, processing, and actionable insights, forming the foundation for smart applications across various domains, including healthcare, transportation, manufacturing, agriculture, and urban development [8-9].

Social Technologies and IoT: The “Social” component of SMAC represents the integration of social networking platforms and collaborative technologies into the IoT landscape. In modern IoT ecosystems, social data from platforms such as Twitter, Facebook, and Instagram provides valuable context-aware information that can be combined with sensor data to improve user experience and decision-making. For example, in smart cities, real-time social media analytics can help identify crowd behavior, emergency alerts, or traffic updates that complement sensor data from surveillance systems. The fusion of social and IoT data also enables personalized services in smart homes, customer-centric retail solutions, and dynamic content delivery in mobile applications [10].



Figure 2: Social Technologies and IoT

Mobile Technologies and IoT: Mobility is a cornerstone of the IoT ecosystem. With the widespread use of smartphones, wearable devices, and mobile sensors, the Mobile component of SMAC ensures seamless data generation and interaction between users and IoT-enabled services. Mobile networks support ubiquitous connectivity and data exchange, empowering IoT devices to operate across various environments and geographies. In applications such as telemedicine, connected vehicles, and mobile workforce management, mobile technologies play a crucial role in real-time monitoring, data sharing, and communication. Moreover, advancements in 5G and beyond networks are expected to drastically enhance mobile IoT capabilities by offering ultra-low latency, high throughput, and improved energy efficiency [11].

Analytics in IoT: Analytics refers to the intelligent processing and interpretation of data to generate actionable insights. In IoT environments, where vast amounts of heterogeneous and high-velocity data are generated, advanced analytics becomes essential for understanding patterns, predicting outcomes, and supporting real-time decision-making. Techniques such as descriptive, diagnostic, predictive, and prescriptive analytics are applied to IoT data streams to improve operational efficiency, safety, and personalization. AI-powered analytics at the edge

enables immediate responses to critical events, such as detecting equipment failure in industrial IoT systems or monitoring vital signs in remote healthcare. The integration of analytics with IoT not only supports decision-making but also enhances automation and resource optimization [12].

Cloud Computing in IoT: To manage the massive datasets produced by IoT devices, cloud computing offers the scalability, storage, and processing power needed. Training AI models, archiving historical data, and enabling distributed applications all rely on centralized data aggregation, remote access, and large-scale computation—all made possible by SMAC's Cloud component. Infrastructure as a service (IaaS), platform as a service (PaaS), and software as a service (SaaS) are three flexible models offered by cloud platforms that facilitate the adoption of the internet of things (IoT). However, reliance solely on cloud processing introduces latency, bandwidth limitations, and data privacy concerns, prompting the need for complementary edge computing solutions [13].




Figure 3: IoT Cloud based service

The Integrated SMAC-IoT Ecosystem: In a fully integrated SMAC-IoT ecosystem, the convergence of these four pillars creates a dynamic, responsive, and intelligent environment capable of supporting real-time services. Social interactions provide user context; mobile networks ensure connectivity; analytics deliver actionable insights; and cloud infrastructure supports scalability. This ecosystem becomes even more powerful when AI and edge analytics are integrated, enabling localized decision-making, improved responsiveness, and resilience. The SMAC-IoT ecosystem, therefore, serves as a critical enabler of next-generation applications that demand real-time intelligence, situational awareness, and autonomous operations [14].

By understanding and leveraging the interplay between SMAC technologies and IoT, researchers and practitioners can build smarter, faster, and more adaptive systems that meet the complex demands of modern digital environments.

2.2 Edge Analytics and AI Fundamentals

Edge analytics and AI are rapidly reshaping the landscape of real-time decision-making in IoT systems, especially within dynamic and latency-sensitive SMAC environments. Edge computing and AI provide a smart and decentralized alternative to traditional cloud-centric processing, which is struggling to keep up with the needs of ultra-responsive applications. This is because they move computation closer to the data sources. In order to demonstrate how AI and

edge analytics work together to facilitate efficient and context-aware decision-making at the edge, this section delves into the fundamental ideas, advantages, and fundamental technology that support these two fields. [15].

Fundamentals of Edge Analytics: A technique called "edge analytics" collects, processes, and acts on data close to its point of generation, i.e., at the "edge" of the network, instead of in centralized cloud data centers. Immediate data processing, reduced latency, bandwidth conservation, improved data privacy, and autonomy are all possible thanks to this paradigm. Edge analytics minimizes communication overhead, allowing for real-time insights and actions, in contrast to cloud analytics, which require raw data to travel large distances to centralized servers. Edge analytics shines in Internet of Things (IoT) settings when reaction time is paramount, including in healthcare monitoring, autonomous vehicles, industrial automation, and disaster response systems. Local processing and analysis of data is carried out by edge nodes, which can be routers, gateways, or embedded computer devices that are equipped with sensors and microcontrollers. Data collecting, data preprocessing (including noise filtering, normalization, and compression), local inference, and decision execution are the usual architectural components of edge analytics matrices [16].

Fundamentals of AI at the Edge: Artificial intelligence (AI) refers to a broad category of methods that allow computers to learn from examples, spot trends, and ultimately make choices. At the edge, AI enables intelligent behavior by incorporating models such as ML, DL, RL, and FL. These models empower edge devices to autonomously recognize anomalies, forecast events, optimize operations, and personalize user interactions without needing continuous cloud access [17]. Implementing AI at the edge introduces challenges related to computation, memory, and power consumption. As such, lightweight models and specialized hardware (e.g., GPUs, TPUs, and AI accelerators) are often used. Techniques such as model quantization, pruning, knowledge distillation, and edge-specific AI frameworks (e.g., TensorFlow Lite, ONNX Runtime, and TinyML) are applied to optimize model performance on resource-constrained edge devices.




Figure 4: Edge AI

Synergy between Edge Analytics and AI: Internet of Things (IoT) systems can benefit greatly from a robust foundation for intelligent decision-making made possible by the combination of AI and edge analytics. Edge analytics provides the infrastructure and

mechanisms for local data processing, while AI enhances its capabilities by enabling adaptive learning and contextual intelligence. For example, in smart manufacturing, AI algorithms can analyze sensor data at the edge to detect equipment malfunctions before they lead to failures, while edge analytics ensures this decision is made within milliseconds to prevent downtime. Moreover, edge AI reduces dependence on cloud infrastructure, making IoT systems more resilient, privacy-aware, and responsive. This synergy is particularly valuable in SMAC environments, where massive data flows, dynamic user contexts, and real-time service requirements coexist.

Benefits and Use Cases: Combining AI with edge analytics offers multiple advantages:

- **Reduced Latency:** Immediate processing minimizes delay in decision-making.
- **Improved Privacy and Security:** Sensitive data can be processed locally, reducing exposure risks.
- **Bandwidth Efficiency:** Only processed results or summaries are sent to the cloud, reducing data transmission.
- **Scalability and Autonomy:** Local intelligence supports large-scale, decentralized IoT deployments.

Use cases span numerous sectors, such as smart cities (e.g., traffic control, surveillance), healthcare (e.g., patient monitoring), agriculture (e.g., precision farming), and retail (e.g., in-store analytics).

Edge analytics and AI form the cornerstone of modern real-time IoT architectures. Their integration empowers intelligent, scalable, and context-aware systems essential for meeting the demands of SMAC-based environments, ultimately driving the next wave of digital transformation.

3. Role of AI in Real-Time IoT Decision-Making

The exponential growth of IoT applications in (SMAC environments has significantly increased the demand for rapid, intelligent, and autonomous decision-making. Traditional IoT architectures often rely on centralized cloud processing, which introduces latency, consumes high bandwidth, and limits scalability, challenges that are particularly critical in time-sensitive and mission-critical applications. By improving the intelligence, reactivity, and adaptability of IoT systems, AI plays a game-changing role in solving these problems [18-21] by allowing network edge decision-making capabilities in real-time.

3.1 Real-Time Intelligence in IoT

When devices or systems in the IoT can process data and react nearly instantly, we say that they can make decisions in real time. In fields where there is a high probability of performance degradation, safety issues, or system failures—such as smart grids, healthcare monitoring, autonomous vehicles, and industrial automation—this is of the utmost importance. By letting machines learn from data, spot patterns, forecast results, and make context-aware judgments with little to no human input, AI improves this process [22]. As an example, AI algorithms have the ability to evaluate streaming sensor data in smart industrial environments. This data may then be used to forecast when machines will break, allowing for preventive maintenance and minimizing operational downtime. Wearable devices with AI models in healthcare IoT (HIoT) can do the same thing, monitoring vital signs and alerting healthcare personnel in real time during crucial health crises. This could end up saving lives.

3.2 AI Techniques for Decision-Making

Various AI techniques contribute to real-time decision-making in IoT ecosystems:

- **ML:** IoT devices may use ML models like ensemble methods, decision trees, and support vector machines to optimize, forecast, and classify using both real-time and historical data. By enabling systems to learn patterns from past data and generate predictions or judgments, ML is the backbone of AI. Anomaly detection, energy consumption predictions, and user behavior analysis are some of the common ML tasks performed by IoT applications. These include k-nearest neighbors, ensemble approaches, decision trees, and support vector machines. In edge environments, lightweight ML models are often preferred due to computational constraints, enabling fast and efficient inference on devices such as microcontrollers and edge gateways [23-26].
- **DL:** Images and time-series sensor data are examples of complex and high-dimensional data that are processed using Convolutional Neural Networks (CNNs), Recurrent Neural Networks (RNNs), and Long Short-Term Memory (LSTM) networks. Deep learning (DL) is a branch of machine learning (ML) that models complicated, high-dimensional data using multi-layered neural networks. CNNs shine when it comes to video and image processing, whilst RNNs and LSTM networks rule when it comes to predicting time series and analyzing sequences. In IoT contexts, DL models enable applications such as real-time facial recognition, speech processing, and advanced health diagnostics. Edge-optimized DL frameworks like TensorFlow Lite and TinyML allow the deployment of compressed DL models directly onto resource-constrained devices [27].
- **RL:** RL helps systems learn optimal decision policies through interaction with the environment. It is especially useful in autonomous systems like robots and drones. RL involves learning optimal strategies or policies through interactions with an environment to maximize a cumulative reward. It is especially valuable in dynamic and uncertain IoT environments, such as robotics, autonomous vehicles, and adaptive energy systems. RL allows edge devices to make sequential decisions in real time, adapting to changing conditions without requiring predefined rules.
- **FL:** FL improves privacy and enables collaborative intelligence by allowing AI models to be trained across numerous edge devices without storing data centrally. Transfer learning enables AI models to leverage knowledge gained from one domain and apply it to another, reducing the need for extensive labeled datasets and training time. This is particularly beneficial in IoT scenarios where data scarcity and diversity are common. For example, a DL model trained on one set of environmental conditions can be fine-tuned for use in a different geographic region with minimal additional data. Transfer learning enhances adaptability and accelerates the deployment of AI models across heterogeneous IoT environments.

These AI models are often optimized and deployed at the edge to ensure that decision-making is not only intelligent but also fast and reliable.

3.3 Applications in SMAC-Enriched IoT Environments

The SMAC paradigm provides a fertile ground for AI-enhanced IoT applications. Social platforms supply rich, real-time data that AI can analyze to personalize user experiences and detect trends. Mobile devices enable ubiquitous data collection and real-time user interaction. Analytics benefits from AI's ability to discover patterns and extract insights from vast datasets. Cloud infrastructure supports the training and updating of complex AI models, while the edge enables their deployment for real-time inference.

Applications include:

- **Smart Cities:** AI helps manage traffic flows, monitor environmental conditions, and enhance public safety using real-time IoT data from sensors and citizen reports.
- **Smart Retail:** AI-driven insights from IoT devices help retailers understand customer behavior and optimize inventory in real time.
- **Agriculture:** AI-powered sensors and drones provide real-time crop health assessments and automate irrigation and fertilization processes.

3.4 Challenges and Considerations

Despite its advantages, integrating AI into real-time IoT systems presents several challenges:

- **Resource Constraints:** Running complex AI models on edge devices with limited power and processing capacity is a technical hurdle.
- **Model Accuracy vs. Latency:** Balancing model complexity with inference speed is critical for timely decision-making.
- **Data Quality and Heterogeneity:** AI performance depends on the quality of training data, which in IoT environments can be noisy and diverse.
- **Security and Privacy:** Decision-making at the edge requires stringent security protocols to prevent data breaches and unauthorized actions.

AI fundamentally redefines the capabilities of IoT systems by enabling real-time, adaptive, and intelligent decision-making across diverse SMAC environments. As AI algorithms continue to become more lightweight, efficient, and edge-friendly, their role in shaping next-generation IoT applications will become even more central. Future IoT architectures will increasingly rely on the tight integration of AI and edge analytics to meet the demands of speed, accuracy, and autonomy required in real-world applications.

4. Edge Computing Architectures for IoT

In order to meet the processing needs of IoT systems in real-time, particularly in SMAC contexts, edge computing has become a revolutionary architecture. By relocating computational capabilities closer to the devices that generate data—such as sensors, actuators, and end-user devices—edge computing decentralizes data processing in contrast to typical cloud-centric architectures. Smart city, healthcare, industrial automation, and intelligent transportation system time-sensitive applications—where localized intelligence, high dependability, and low latency are paramount—make this architectural shift very important. This section explores various edge computing architectures designed for IoT and their relevance to real-time decision-making and AI integration [28].

Basic Edge Architecture: There are three levels to the core architecture of edge computing: devices, edges, and clouds. Internet of Things (IoT) endpoints, which are sensors and actuators, make up the device layer and output raw data. Gateways, edge servers, or embedded systems undertake local data processing, filtering, analytics, and decision-making at the edge layer. The cloud layer enables worldwide coordination, big data analytics, and storage on a massive scale. With this design, less data needs to be sent to the cloud, which means less bandwidth is used and response times are faster. Allowing sensitive data to be processed locally also promotes privacy and security.

Fog Computing Architecture: Fog computing, an extension of edge computing, introduces an intermediate layer between the edge and the cloud. Fog nodes, such as smart routers, base stations, and local servers are distributed geographically and offer compute, storage, and networking closer to IoT devices. Fog computing supports complex analytics and real-time

control for applications where full cloud connectivity is intermittent or undesirable [29]. Fog computing is especially useful in applications like IIoT, where high-frequency sensor data must be processed instantly for machine control. Fog architecture supports real-time stream analytics, reduces latency, and enables context-aware decisions with minimal cloud dependency.

Edge-Cloud Collaborative Architecture: In this architecture, the edge and cloud collaboratively process data based on context and computational requirements. Time-critical data is handled at the edge, while long-term analytics and model training are delegated to the cloud. For example, AI models can be trained in the cloud using large datasets and then deployed to the edge for inference [30]. This hybrid approach balances performance and scalability. It enables real-time decision-making at the edge while leveraging cloud resources for continuous model improvement and system optimization. In SMAC environments, this architecture is ideal for applications like personalized recommendations, predictive maintenance, and intelligent transportation systems.

Hierarchical Edge Architecture: Hierarchical edge computing architectures organize edge devices in tiers based on their capabilities. Lower tiers (e.g., microcontrollers, wearable devices) handle basic data acquisition and simple rule-based decisions. Higher tiers (e.g., edge gateways or micro data centers) are responsible for more advanced processing, aggregation, and AI inference. This tiered approach supports scalability and efficient resource utilization across a wide range of IoT devices. It allows decision-making to be distributed based on latency sensitivity and computational load. For instance, an edge gateway may process video streams from multiple cameras using deep learning models, while individual cameras perform motion detection.

Serverless Edge Computing (Function-as-a-Service): Serverless edge computing enables event-driven execution of lightweight functions at the edge without requiring dedicated infrastructure management. Function-as-a-Service (FaaS) allows developers to deploy modular applications that automatically scale based on demand. In IoT contexts, this architecture is useful for scenarios such as anomaly detection, device orchestration, and event-based alerts.

Serverless edge models reduce operational complexity, support fine-grained control, and are particularly efficient in resource-constrained environments. They also align well with AI workloads where inference tasks are triggered by specific events or thresholds.

Edge AI Architectures: Edge AI architectures integrate AI models directly into edge devices or edge servers. These architectures include specialized hardware accelerators (e.g., NVIDIA Jetson, Intel Movidius, Google Coral), edge-optimized frameworks (e.g., TensorFlow Lite, ONNX Runtime), and techniques such as model compression and quantization [31]. Edge AI architectures enable real-time prediction and classification tasks, such as facial recognition, fault detection, and activity recognition, to be performed locally. In SMAC-based IoT systems, this significantly enhances the system's responsiveness and autonomy by reducing reliance on centralized cloud processing.

Edge computing architectures provide the structural foundation for real-time intelligence in IoT systems. By processing data closer to the source, these architectures address the latency, scalability, bandwidth, and privacy challenges inherent in SMAC environments. From basic edge devices to fog and hierarchical systems, each architecture plays a crucial role in supporting AI-driven analytics and decision-making at the edge. As AI algorithms become more lightweight and edge hardware more powerful, future IoT applications will increasingly rely on these advanced architectures to enable decentralized, intelligent, and real-time decision-making across diverse sectors.

5. Integration of SMAC in Edge-AI Powered IoT Systems

Digital infrastructures that are smart, nimble, and responsive have taken a giant leap forward with the incorporation of SMAC technology into edge-AI powered IoT systems. Each element of the SMAC stack plays a unique and complementary role in enhancing IoT system capabilities. When combined with edge-based AI, this integration empowers IoT networks to achieve context-aware, low-latency, and real-time decision-making core requirements for applications in smart cities, healthcare, industrial automation, and connected transportation [32].

5.1 Social Integration: User-Centric Intelligence

Social technologies contribute rich, unstructured, and real-time user-generated data, such as reviews, posts, interactions, and location-based behavior. When this data is integrated with IoT sensor data, it enhances context-awareness in applications like smart marketing, crowd management, and emergency response systems. For instance, in a smart city, social media analytics can be used alongside surveillance IoT feeds to detect and respond to public safety threats in real time. Edge AI allows this fusion of social and sensor data to be analyzed locally, enabling quick, user-centric decision-making and reducing dependency on centralized cloud analysis.

5.2 Mobile Technologies: Ubiquitous Access and Edge Data Collection

Mobile devices serve as primary data generators and access points in IoT environments. The Mobile component in SMAC ensures seamless and ubiquitous communication between users and connected devices. Smartphones, wearables, and mobile sensors are increasingly equipped with on-device AI capabilities that facilitate real-time interaction and localized inference. The integration of mobile with edge AI enables various applications such as contactless health monitoring, augmented reality experiences, and intelligent mobility solutions. Edge computing minimizes the need for continuous back-and-forth communication with the cloud, thus enhancing the responsiveness of mobile-based applications. 5G and upcoming 6G technologies further strengthen this integration by offering ultra-low latency, higher data throughput, and improved device density, which are critical for real-time mobile-IoT interactions.

5.3 Analytics: Enabling Localized, Real-Time Insights

Analytics is at the heart of intelligent IoT systems. With edge AI, the traditional paradigm of cloud-based analytics is being transformed. Data produced by Internet of Things devices can be evaluated in real time by bringing deep learning and machine learning capabilities to the edge. This enables prompt actions in reaction to situations like environmental dangers, equipment failures, or abnormalities in patient health. The Analytics component of SMAC, when coupled with AI at the edge, enables predictive and prescriptive analytics locally. This improves decision-making speed, supports autonomous system behavior, and reduces network congestion. For instance, in predictive maintenance scenarios, edge AI models can analyze vibration or temperature data in industrial machinery to forecast failure and trigger alerts or maintenance schedules without involving remote servers.

5.4 Cloud Integration: Scalability, Model Training, and Coordination

While edge AI handles real-time inference and decision-making, the Cloud component in SMAC provides the infrastructure for large-scale model training, long-term data storage, and global coordination. Cloud services enable the continuous improvement of AI models by aggregating anonymized insights from distributed edge devices. These updated models can then be redeployed to edge nodes for enhanced performance. This integration ensures a feedback loop where the edge and cloud cooperate edge handles real-time actions while the cloud supports analytics depth and historical learning. Additionally, cloud platforms offer centralized

dashboards and visualization tools for system-wide monitoring, making them essential for holistic management of large-scale IoT deployments.

5.5 Benefits and Applications

The integration of SMAC in edge-AI powered IoT systems offers several key advantages:

- Low latency and high responsiveness for time-critical applications.
- Context-aware and user-driven decision-making using social and behavioral data.
- Scalability and efficient resource utilization through hybrid cloud-edge coordination.
- Improved data privacy and security by processing sensitive information locally.

Applications include smart homes that learn user preferences via social and mobile inputs, traffic systems that adjust signals based on real-time conditions and social sentiment, and healthcare devices that adapt monitoring based on patient lifestyle and analytics.

A digital ecosystem that is strong, flexible, and smart is born when SMAC technologies are combined with edge-AI enabled Internet of Things systems. It bridges the gap between user behavior, real-time data processing, and scalable infrastructure, making IoT systems more autonomous, efficient, and responsive. This convergence is foundational to the future of smart environments where decisions are made closer to the user, faster, and with greater contextual relevance.

6. Real-World Applications

The fusion of AI and Edge Analytics in IoT systems has opened new avenues for intelligent, real-time decision-making across a range of sectors. When integrated with SMAC technologies, these edge-AI powered IoT systems are capable of delivering responsive, context-aware, and autonomous solutions. Real-world applications of this convergence are rapidly emerging in various domains, transforming operations, user experience, and service delivery.

Smart Cities: In smart cities, edge AI and IoT devices are deployed for traffic management, environmental monitoring, surveillance, and energy optimization. AI-powered edge cameras can detect traffic congestion, accidents, or violations and alert authorities in real time, while integrating social media data for event-driven insights. Smart streetlights use edge analytics to adjust brightness based on pedestrian movement and ambient conditions, reducing energy consumption [33].

Healthcare and Remote Patient Monitoring: Edge-enabled AI in healthcare supports real-time patient monitoring through wearable devices and smart sensors. These devices collect vital signs such as heart rate, blood pressure, and oxygen levels, and perform local analytics to detect anomalies. Critical health alerts are generated instantly, allowing timely intervention, especially in remote or under-resourced areas. Integration with cloud analytics and mobile health platforms enhances patient care through centralized dashboards and predictive diagnostics.

Industrial IoT (IIoT): In manufacturing and industrial environments, edge AI is applied to predictive maintenance, quality control, and operational efficiency. Sensors and AI models at the edge monitor machine performance, detect faults, and predict failures before they occur. Real-time analytics ensure minimal downtime and increased productivity. Mobile dashboards and cloud integration allow plant managers to oversee operations from anywhere, while analytics optimize supply chain processes.

Smart Retail: Retailers use edge-enabled IoT systems to track customer behavior, manage inventory, and personalize services. AI algorithms analyze foot traffic, shelf engagement, and point-of-sale data locally, enabling immediate adjustments to store layouts or promotions. Mobile apps and social media feedback are integrated to enhance the shopping experience, while cloud platforms handle deeper analytics and strategic planning.

Agriculture and Smart Farming: In agriculture, edge AI and IoT sensors monitor soil conditions, crop health, and weather patterns. AI-driven decisions at the edge automate irrigation, fertilization, and pest control in real time. Farmers receive mobile alerts and insights, improving yield and reducing resource use. Social and cloud platforms enable broader data sharing and analysis for regional planning.

These real-world applications demonstrate the transformative impact of AI and Edge Analytics in SMAC-enabled IoT systems. By enabling intelligent, decentralized decision-making, they enhance efficiency, responsiveness, and user experience across diverse sectors, paving the way for the next generation of smart and sustainable solutions.

7. Challenges and Research Gaps

Despite the growing potential of integrating AI and Edge Analytics in IoT systems within SMAC environments, several critical challenges and research gaps hinder their widespread deployment and optimal performance. These issues span technical, architectural, and operational domains and demand focused research efforts to ensure robust, scalable, and secure real-time decision-making.

Resource Constraints on Edge Devices: One of the primary challenges lies in the limited computational, memory, and power resources of edge devices. Running complex AI models, especially deep learning algorithms, on resource-constrained devices such as microcontrollers or low-power edge gateways is inherently difficult. While model compression, pruning, and quantization techniques help, there is a persistent need for lightweight yet accurate AI models tailored specifically for edge environments.

Data Heterogeneity and Quality: IoT environments generate vast amounts of heterogeneous data from various sensors, mobile platforms, and social sources. These data streams differ in structure, quality, frequency, and context. Integrating and processing such diverse data in real-time remains a complex task. Research is needed to develop robust data fusion methods and context-aware analytics frameworks that can handle noisy, incomplete, or conflicting data without degrading decision accuracy.

Security and Privacy: Significant security and privacy risks arise when sensitive data, like health information or personal behaviors, is processed at the edge. Protecting data during transfer, storage, and access control in decentralized edge networks continues to be a formidable obstacle. While federated learning and homomorphic encryption offer promising directions, more practical, lightweight solutions are needed to secure edge AI without compromising performance.

Model Training and Updates: The absence of massive tagged datasets and prohibitive computing costs limit edge AI model training. Moreover, continuously updating models to adapt to changing conditions or user behaviors is difficult in decentralized settings. Research is needed in transfer learning, federated learning, and on-device incremental learning to address these issues effectively.

Interoperability and Standardization: The lack of standardized frameworks and protocols for integrating AI, Edge, and SMAC technologies creates significant interoperability issues. Devices from different vendors often use proprietary platforms, making seamless integration and data sharing across ecosystems challenging. Research must focus on developing open, interoperable architectures and middleware solutions that enable consistent communication and coordination.

Latency-Accuracy Trade-offs: Edge AI systems often face a trade-off between decision accuracy and response time. Real-time applications require fast inference, but faster models can

compromise precision. Developing adaptive systems that dynamically balance latency and accuracy based on application context remains an open research area.

To get the most out of AI and Edge Analytics in SMAC-enabled IoT systems, we need to fill these knowledge gaps and fix these problems. Optimization of artificial intelligence (AI) for edge limitations, data interoperability, security, and the development of scalable architectures to support intelligent decision-making in real-time across varied application domains should be the focus of future research.

8. Future Trends

As the convergence of AI, Edge Analytics, and the IoT within SMAC environments continues to evolve, several emerging trends are expected to shape the next generation of real-time decision-making systems. These future developments aim to address existing limitations while enhancing system intelligence, responsiveness, and scalability.

Federated and Collaborative Edge Learning: Federated learning and collaborative AI models at the edge are two of the most promising future trends. Through the use of these methods, a network of edge devices can train a machine learning model on its own data, with the only data that needs to be shared with central servers being changes to the model. Implementing this strategy improves data privacy, decreases latency, and maximizes bandwidth use, particularly in delicate industries like healthcare and banking.

TinyML and Ultra-Lightweight Models: The development of TinyML, ML models specifically designed to run on ultra-low-power edge devices is gaining momentum. These models offer significant opportunities for real-time processing on resource-constrained IoT nodes without cloud dependency. Future advancements in hardware-aware model optimization, such as pruning and quantization, will further accelerate this trend.

AI-Driven Edge Autonomy: Edge devices are expected to become more autonomous by integrating AI for self-learning, self-configuration, and self-healing capabilities. This includes the ability to detect anomalies, predict failures, adapt to changing environments, and make decentralized decisions without requiring continuous human or cloud intervention. Such autonomy will be critical for applications like smart manufacturing, autonomous vehicles, and remote monitoring.

Context-Aware and Emotion-Aware Computing : With the increasing integration of social and mobile data streams, future edge-AI systems will evolve toward context-aware and emotion-aware computing. Leveraging social sentiment analysis, location data, and behavioral patterns, edge devices will enable hyper-personalized services and interactions in real time.

Edge-to-Cloud Continuum and Orchestration: Instead of viewing edge and cloud as separate entities, future architectures will adopt an edge-to-cloud continuum, where computational tasks are dynamically orchestrated based on workload, latency sensitivity, and energy efficiency. Intelligent orchestrators using AI will decide whether to process data at the edge, fog, or cloud layer depending on real-time constraints.

Integration of 6G and Advanced Connectivity: The emergence of 6G and next-generation wireless networks will provide ultra-low latency, high bandwidth, and massive device connectivity, further empowering edge-AI systems. These networks will facilitate real-time data exchange and enable more complex AI algorithms to operate at the edge in diverse SMAC environments.

In the coming years, AI and Edge Analytics in SMAC-enabled IoT systems will evolve toward more intelligent, decentralized, secure, and context-aware architectures. Smart cities, healthcare, industry, and retail are just a few of the areas that will see breakthroughs driven by

these trends in the future. This will usher in an era of data-driven decision-making that is real-time, improving user experience, operational efficiency, and society impact.

9. Conclusion

This comprehensive review has highlighted the critical role of AI and Edge Analytics in enabling real-time decision-making within IoT systems operating in SMAC environments. By bringing computation and intelligence closer to data sources, edge analytics significantly reduces latency, enhances responsiveness, and improves privacy preservation. When integrated with AI techniques such as ML, DL, RL, and TL, these systems become capable of autonomous, adaptive, and context-aware decision-making. The synergy between SMAC technologies and Edge-AI not only ensures scalable data handling but also supports personalized and location-aware services across various domains like healthcare, smart cities, industry, and transportation. Despite the numerous benefits, challenges such as energy constraints, data heterogeneity, and security concerns remain. Addressing these issues through advanced architectures, lightweight AI models, and collaborative learning techniques will be essential. Ultimately, the fusion of AI and edge computing in SMAC-based IoT environments is poised to redefine the future of intelligent, connected systems.

Acknowledgment: Not Applicable.

Funding Statement: The author(s) received no specific funding for this study.

Conflicts of Interest: The authors declare no conflicts of interest to report regarding the present study

References

- [1] A. Alzahrani, P. Kostkova, H. Alshammari, S. Habibullah and A. Alzahrani, "Intelligent integration of AI and IoT for advancing ecological health, medical services, and community prosperity," *Alexandria Engineering Journal*, vol.127, 522-540, 2025.
- [2] L. Harris, "The Impact of Artificial Intelligence on Securing Internet of Things (IoT) Devices in Smart Environments," *Internet of Things (IoT)*, 2025.
- [3] K.K. Vaigandla, "Communication technologies and challenges on 6G networks for the Internet: Internet of Things (IoT) based analysis," *In 2022 2nd International Conference on Innovative Practices in Technology and Management (ICIPTM)*, vol. 2, pp. 27-31, 2022.
- [4] B.Kelly, "The impact of edge computing on real-time data processing," *International Journal of Computing and Engineering*, vol.5, no.5, pp.44-58, 2024.
- [5] K.K. Vaigandla, "Role of IoT and ML in Healthcare," *Babylonian Journal of Artificial Intelligence*, vol.2025, pp.23-36, 2025.
- [6] C. Ramakrishna, "A Smart System for Future Generation based on the Internet of Things Employing Machine Learning, Deep Learning, and Artificial Intelligence: Comprehensive Survey." *Int. J. Recent Innov. Trends Comput. Commun*, vol.11, no.9, pp.1798-1815, 2023.
- [7] P. Sunhare, R.R. Chowdhary and M.K. Chattopadhyay, "Internet of things and data mining: An application oriented survey," *Journal of King Saud University-Computer and Information Sciences*, vol.34, no.6, pp.3569-3590, 2022.
- [8] M. Langen, "Social-mobile-analytics-cloud: a digital ecosystem for innovation," *In 2016 International Conference on Engineering, Technology and Innovation/IEEE International Technology Management Conference (ICE/ITMC)*, pp. 1-5, 2016.
- [9] P. Karthikeyan and M. Thangavel, "Applications of security, mobile, analytic, and cloud (SMAC) technologies for effective information processing and management," *IGI Global*,

- 2018.
- [10] S. Mendhurwar and R. Mishra, "Emerging synergies between Internet of Things and social technologies," *Journal of Global Information Technology Management*, vol.21, no.2, pp.75-80, 2018.
 - [11] K. M. Law, A.W. Ip, B.B. Gupta and S. Geng, "Managing IoT and mobile technologies with innovation, trust, and sustainable computing," *CRC Press*, 2021.
 - [12] E. Ahmed, I. Yaqoob, I.A.T. Hashem, I. Khan, A.I.A. Ahmed, M. Imran and A. Vasilakos, "The role of big data analytics in Internet of Things," *Computer Networks*, vol.129, pp.459-471, 2017.
 - [13] H. Tyagi and R. Kumar, "Cloud computing for IoT," *In Internet of Things (IoT) Concepts and Applications*, pp. 25-41, 2020.
 - [14] S. Chen, L. Zhang, Y.Tang, C. Shen, R. Kumar, K. Yu et al., "Indoor temperature monitoring using wireless sensor networks: A SMAC application in smart cities," *Sustainable Cities and Society*, vol.61, 102333, 2020.
 - [15] A. Karras, A. Giannaros, C. Karras, K.C. Giotopoulos, D. Tsolis and S. Sioutas, "Edge artificial intelligence in large-scale IoT systems, applications, and big data infrastructures," *In 2023 8th South-East Europe Design Automation, Computer Engineering, Computer Networks and Social Media Conference (SEEDA-CECNSM)*, pp. 1-8, 2023.
 - [16] J. Zhang, Z. Qu, C. Chen, H. Wang, Y. Zhan, B. Ye and S. Guo, "Edge learning: The enabling technology for distributed big data analytics in the edge," *ACM Computing Surveys (CSUR)*, vol.54, no.7, pp.1-36, 2021.
 - [17] A. Hemmati, H.M. Arzanagh and A.M. Rahmani, "Fundamentals of Edge AI and Federated Learning," *Model Optimization Methods for Efficient and Edge AI: Federated Learning Architectures, Frameworks and Applications*, pp.1-23, 2025.
 - [18] J.M. Tien, "Internet of things, real-time decision making, and artificial intelligence," *Annals of Data Science*, vol.4, no.2, pp.149-178, 2017.
 - [19] H. Afreen and I.S. Bajwa, "An IoT-based real-time intelligent monitoring and notification system of cold storage," *IEEE Access*, vol.9, pp.38236-38253, 2021.
 - [20] K.K.Vaigandla, R. Karne, M.K. Vanteru, M. Devsingh, D. Prasad, R.K. Siddoju and N. Dharavath, "Artificial Intelligence in Industrial IoT: Trends, Challenges, and Future Directions," *Journal of Computer Allied Intelligence*, vol.3, no.2, pp.37-55, 2025.
 - [21] K.K. Vaigandla, "An Extensive Examination on IOT and Industrial IOT: Attacks, Security, Detection Methods, Blockchain Solutions and Challenges," *Babylonian Journal of Internet of Things*, vol.2025, pp.89-100, 2025.
 - [22] Vaigandla, Karthik Kumar, Madhu Kumar Vanteru and Mounika Siluveru. "An extensive examination of the IoT and blockchain technologies in relation to their applications in the healthcare industry," *Mesopotamian Journal of Computer Science*, vol.2024, pp.1-14, 2024.
 - [23] A.A. Al Atawi, "Enhancing data management and real-time decision making with IoT, cloud, and fog computing," *IET Wireless Sensor Systems*, vol.14, no.6, pp.539-562, 2024.
 - [24] V. Vijayagopal, N. Chidambararaj, M. Kavitha, D. Sundrani, K.K. Vaigandla and B. Varadharajan, "Machine Learning for Natural Disaster Prediction and Prevention," *In Exploring Psychology, Social Innovation and Advanced Applications of Machine Learning*, pp. 209-230, 2025.

-
- [25] C. Banapuram, A. C. Naik, M.K. Vanteru, V.S. Kumar and K.K. Vaigandla, "A comprehensive survey of machine learning in healthcare: Predicting heart and liver disease, tuberculosis detection in chest X-ray images," *SSRG International Journal of Electronics and Communication Engineering*, vol.11, no.5, pp.155-169, 2024.
 - [26] N. Sivapriya, R. Mohandas and K.K. Vaigandla, "A qos perception routing protocol for manets based on machine learning," *International Journal of Intelligent Systems and Applications in Engineering*, vol.12, no.1, pp.733-745, 2023.
 - [27] K.K. Vaigandla, T. Mounika, N. Azmi, U. Urooj, K. Chenigaram and R.K. Karne, "Investigation on machine learning towards future generation communications," *In AIP Conference Proceedings*, vol. 2965, no. 1, p. 030001, 2024.
 - [28] A. Karne, R. Karne, M.V.K. Kumar and A. Arunkumar, "Convolutional neural networks for object detection and recognition," *Journal of Artificial Intelligence, Machine Learning and Neural Network*, vol.3, no.3, pp.1-13, 2023.
 - [29] S. Hamdan, M. Ayyash and S. Almajali, "Edge-computing architectures for internet of things applications: A survey," *Sensors*, vol.20, no.22, pp.6441, 2020.
 - [30] K.K. Vaigandla and M. Siluveru, "Fog Computing with Internet of Things: An Overview of Architecture, Algorithms, Challenges and Applications," *Journal of Engineering and Technology (JET)*, vol.14, no.1, pp.187-220, 2023.
 - [31] C. Yang, S. Lan, L. Wang, W. Shen and G.G. Huang, "Big data driven edge-cloud collaboration architecture for cloud manufacturing: a software defined perspective," *IEEE access*, vol.8, pp.45938-45950, 2020.
 - [32] M.M. John, H.H. Olsson and J. Bosch, "AI on the edge: Architectural alternatives," *In 2020 46th Euromicro Conference on Software Engineering and Advanced Applications (SEAA)*, pp. 21-28, 2020.
 - [33] A. Singh, S.C. Satapathy, A. Roy and A. Gutub, "Ai-based mobile edge computing for iot: Applications, challenges, and future scope," *Arabian Journal for Science and Engineering*, vol.47, no.8, pp.9801-9831, 2022.